HAVELLS

Hexa
MINI WALLPACK

Catalog#	
Project:	
Fixture Type:	Date:
Note:	

Hit the Tab key or mouse over the page to see all interactive elements.

The Hexa Mini Wall Packs are crafted with exquisite aesthetics and utilize cutting-edge technology. Our outdoor lighting solutions are designed to elevate any outdoor spaces with a seamless blend of functionality and beauty. They provide focused illumination while minimizing light spillage, ensuring precise and controlled lighting to enhance visibility and aesthetics. With their sleek and compact design, these fixtures exude sophistication and style, perfect for any outdoor setting.

FEATURES & BENEFITS

- Delivers high efficacy in 24W light providing upto 3000 lumens.
- Selectable CCT, Wattage, and dimming capabilities for optimal customization.
- ETL listed, DLC Premium, suitable for dry and wet location use.
- Operating Temperature: -20°C to +55°C
- Rated for 50,000 hours, offering a 5-year warranty.

Selectable Wattage | Selectable Color CCT | DLC LISTED PREMIUM | ETL LISTED | MADE IN INDIA | IP65

Model Number	Wattage	Lumens
HL-WP-MW-MCCT-24W	12W/18W/24W	1500lm/2250lm/3000lm
HL-WP-MW-MCCT-24W-PS	12W/18W/24W	1500lm/2250lm/3000lm

All models feature selectable CCT options: 3000K/4000K/5000K

PRODUCT SUMMARY

Efficacy
≥125 lm/W

Dimming
0-10V standard

CCT Options
3000K / 4000K / 5000K

Operating Temp.
-20°C to +55°C

CRI
≥70

Warranty
5 Years

Beam Angle
90°

Finish
Bronze

Input Voltage
120-277Vac

Mounting
Wall mounted

Power Factor (PF)
0.9

Housing Material
Aluminum Powder Coated

THD
≤20%

Lens Type
No Lens

APPLICATIONS

- Exterior building lighting, Yard and dock lighting, Parking lot lighting, Industrial lighting and Security lighting.

Default Parameters	
Wattage	**CCT**
24W	5000K
24W	5000K

DLC PRODUCT INFORMATION			
Order ID	**DLC Model Number**	**DLC Source Identifier**	**Classification**
HL-WP-MW-MCCT-24W	HEXA MINI WALL PACK 24W LED SWSC SENSOR	S-0ZKWW9	Premium
HL-WP-MW-MCCT-24W-PS	HEXA MINI WALL PACK 24W LED SWSC	S-471VST	Premium

www.havellsLighting.com salesusa@havells.com 855-428-3557
© Havells Lighting LLC | All Rights Reserved.
Specifications and Data Subject to change without Notice.

PERFORMANCE

			3000K (≥70 CRI)		4000K (≥70 CRI)		5000K (≥70 CRI)	
Model Number	**Wattages**	**Input Current**	**Lumens**	**Efficacy**	**Lumens**	**Efficacy**	**Lumens**	**Efficacy**
HL-WP-MW-MCCT-24W	12W/18W/24W	0.111A/0.167A/0.222A	1500lm	≥125 lm/W	2250lm	≥125 lm/W	3000lm	≥125 lm/W
HL-WP-MW-MCCT-24W-PS	12W/18W/24W	0.111A/0.167A/0.222A	1500lm	≥125 lm/W	2250lm	≥125 lm/W	3000lm	≥125 lm/W

Lumen and efficacy data are based on the CCT of each higher wattage SKU.

PACKAGING DETAILS

Model No.	Product Dimesion (LxWxH)	Case Qty (units)	Case Dimension (in)	Net Weight Product (lbs)	Gross Weight with Packaging (lbs)	Pallet Load
HL-WP-MW-MCCT-24W	9.0x6.5x3.1	10	18.4x14.1x9.8	2.4	24.3	30
HL-WP-MW-MCCT-24W-PS	9.0x6.5x3.1	10	18.4x14.1x9.8	2.4	24.3	30

*Boxes/Pallet-1 Box = 10Pcs

www.havellsLighting.com salesusa@havells.com 855-428-3557
© Havells Lighting LLC | All Rights Reserved.
Specifications and Data Subject to change without Notice.

DIMENSIONS

WATTAGE: 24W



Length (L)	Width (W)	Height (H)
9.0 inch	6.5 Inch	3.1 Inch

WATTAGE: 24W-PS



Length (L)	Width (W)	Height (H)
9.0 inch	6.5 Inch	3.1 Inch

PHOTOMETRIC RESULT



HLSSHMW030625V8
Last Updated: Sep 09, 2025 11:00 AM

www.havellsLighting.com salesusa@havells.com 855-428-3557
© Havells Lighting LLC | All Rights Reserved.
Specifications and Data Subject to change without Notice.